

Luxury
You Can
Walk On.



ROYALÉ TOUCHÉ
WOODEN FLOORS

A ROYALÉ TOUCHÉ PRODUCT
MADE IN GERMANY

EDITION 7010



AURASTEP SERIES

introduces engineering-led flooring with climate-adaptive insulation, precision balancing, and moisture-sealed cores. Each plank is crafted to deliver superior comfort, stability, and long-term performance.

SUPERIOR SEVEN

PRODUCT HIGHLIGHTS
Advanced Laminate
Flooring with Integrated
Technology.



SONICCORE

Reduces impact sound by **up to 22 dB** for superior acoustic control.



AQUALOCK24

Delivers **24-hour water lock** & **moisture Penetration**.



LUXELAY

Provides built-in **cushioning & sound absorption** for enhanced comfort.



RADIANTSHIELD™

UV coating **prevents sunlight fade**, preserving long-term colour and clarity.



TITANAC5

Delivers **AC5-level, 3× stronger scratch** and abrasion resistance.




CLIMATECORE

Provides thermal insulation for year-round **temperature stability**.



LEVELPRO

Corrects up to **2mm sub-floor variance** for a **perfectly levelled**, stable finish.



AURASTEP SERIES – New Arrival

VERO BLACK EARTH – CODE: SAL-901

ML | 1286 x 192 x 9
SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove

AURASTEP SERIES – New Arrival

CAPO TUSCANY OAK – CODE: SAL-902

ML | 1286 x 192 x 9
SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove

AURASTEP SERIES - New Arrival

TOSCANA HONEYWOOD - CODE: AL-903

ML | 1286 x 192 x 9
SIZES IN MM | STANDARD | AC5 | 4 side V-Groove

AURASTEP SERIES - New Arrival

MALAGA IVORY - CODE: AL-904

ML | 1286 x 192 x 9
SIZES IN MM | STANDARD | AC5 | 4 side V-Groove



SORRENTO OAK – CODE: AL-905

ML | 1286 x 192 x 9
SIZES IN MM | STANDARD | AC5 | 4 side V-Groove



LLT - Liquid Layer Technology

Patented technology used for energy saving production of highly stable & balanced planks for a lifetime floor solution.



MADE IN GERMANY Designed for India



SYNCHRONISED TEXTURES

The most advanced synchronized textures bringing to life natural wood finishes.



ISOWAXX

Patented wax protection process across all joints to prevent swelling of the flooring due to moisture.



VARIABLE PLANK

Different plank sizes to create a majestic yet homely effect in every room type.



MEGALOC

Adhesive free laying & dismantling system for easy installation & moving whenever required.



V GROOVE

V Groove effect is specially colored to give the entire floor the same feel & look.



PRODUCTION

One of the largest manufacturing lines in the world for laminate flooring under one roof.



24HR WATERLOCK TECHNOLOGY



ABRASION-RESISTANT

The highest abrasion class available worldwide of AC4 and AC5 for all the floors.



NON-FADING

Pigments with UV resistance of 6+ on the blue wool scale, assuring colour fastness for years.

WHEN TITANS COME TOGETHER


History is created when two titans of industry cross each other's paths, and decide to walk the glory road, together.

A collaborative and creative force of such epic proportions changes the face of the industry, Beckoning a new era. Today we are at the cusp of such a phenomenon..

Royale Touche, a pioneer of luxury laminates in India, an icon with over four decades of prolific experience and expertise, joins hands with Classen, Germany one of the world's leading manufacturers of laminate flooring, to create Royale Touche Floors, the most exclusive range of wooden laminate floorings.

Why Royale Touche Floors?

- Synchronised Textures: Gives an excellent aesthetic and natural look to the floors, making it impossible to differentiate between laminate & natural wooden floors.
- Water Lock Technology: Prevents seepage of water from joints into the HDF substrate for 24 hours thus preventing any damage and swelling of the product.
- AC5 Abrasion Rating: Provides the floor with the highest in its class abrasion protection against all normal wear & tear and keeps your floors looking new for years to come.
- Liquid Layer Technology: Provides excellent balance and protection to the underside of the product to prevent warpage and allow for even expansion and contraction of the floors.



HERRINGBONE

NATURAL COUNTRY OAK - CODE: SAH-867

6 ML | 643 x 131 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove



HERRINGBONE

MORROCCAN OAK - CODE: SAH-868

6 ML | 643 x 131 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove



HERRINGBONE

LIGHT BRAZILIAN TIMBER - CODE: SAH-869

6 ML | 643 x 131 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove

NEW



DARK COUNTRY OAK - CODE: SL-870

 ML

 1285 x 192 x 8
SIZES IN MM

 SYNCHRONISED

 AC4

 4 side V-Groove

NEW



ROCCAPINA - CODE: SLW-871

 ML

 1285 x 280 x 8
SIZES IN MM

 SYNCHRONISED

 AC4

 4 side V-Groove

NEW



BORNEO TEAK - CODE: 807

 ML

 1286 x 194 x 8
SIZES IN MM

 STANDARD

 AC4

 No V-Groove

NEW



AFRICAN WALNUT - CODE: 808

 ML

 1286 x 194 x 8
SIZES IN MM

 STANDARD

 AC4

 No V-Groove





TIAGA WALNUT - CODE: 806

ML | 1286 x 194 x 8
SIZES IN MM | STANDARD | AC4 | No V-Groove



LIGHT PARISIAN TIMBER - CODE: 858

ML | 1286 x 194 x 8
SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



RUSTIC ARCTIC PINE - CODE: 859

ML | 1286 x 194 x 8
SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



PASADENA OAK - CODE: L 860

ML | 1286 x 160 x 8
SIZES IN MM | STANDARD | AC4 | 4 side V-Groove

NEW



SIDNEY BLACK TEAK - CODE: SAL 861



 ML

 1285 x 192 x 8
SIZES IN MM

 SYNCHRONISED

 AC5

 4 side V-Groove

NEW



VENETIAN MOCHA - CODE: SAL 863



 ML

 1285 x 192 x 8
SIZES IN MM

 SYNCHRONISED

 AC5

 4 side V-Groove



RIDGED BRAZILIAN OAK - CODE: 802



 ML

 1286 x 194 x 8
SIZES IN MM

 STANDARD

 AC4

 No V-Groove



DARK JAPANESE SEN - CODE: 804



 ML

 1286 x 194 x 8
SIZES IN MM

 STANDARD

 AC4

 No V-Groove



DARWIN BLACK - CODE: 805

**BEST
SELLER**

6 ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | No V-Groove



TRENDING

AFRICAN PADAUK - CODE: SA-839

6 ML | 1285 x 192 x 8 SIZES IN MM | SYNCHRONISED | AC5 | 4 side V-Groove



MONUMENT OAK - CODE: 831

6 ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



BENNET OAK - CODE: 832 A

**BEST
SELLER**

6 ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



ANTIC OAK BRAUN - CODE: 833

**BEST
SELLER**

6 ML | 1286 x 194 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



TRENDING

TAIGA BLACK- CODE: SL-837

6 ML | 1285 x 158 x 8 SIZES IN MM | SYNCHRONISED | AC4 | 4 side V-Groove



SMOKED KNOTTY PINE - CODE: L 846

24hrs
WATER


6 ML | 1285 x 192 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove



EXOTIC BEACHWOOD - CODE: L 847

24hrs
WATER

6 ML | 1285 x 192 x 8 SIZES IN MM | STANDARD | AC4 | 4 side V-Groove




TECHNICAL PARAMETERS

Characteristics	Test Method	Requirements
General Requirements		
Squareness	EN 13329	≤ 0.20 mm
Straightness	EN 13329	≤ 0.30 mm
Flatness of the elements	EN 13329	Width: concave $\leq 0.15\%$ convex $\leq 0.20\%$ Length: concave $\leq 0.50\%$ convex $\leq 1.00\%$
Openings	EN 13329	$\emptyset \leq 0.15$ mm / max. ≤ 0.20 mm
Height difference	EN 13329	≤ 0.10 mm / max. ≤ 0.15 mm
Residual indentation 	EN ISO 24343-1	≤ 0.05 mm
Light fastness 	EN 20105-A02	grey scale level ≥ 4

Essential Characteristics			
Reaction to fire* 	EN ISO 11925-2 EN ISO 9239-1	Cfl - S1	
Slip resistance* 	EN 13893	DS	
Formaldehyde* 	EN 717-1	E1	

Characteristics	Test Method	Requirements
Classification Requirements		
Castor chair resistance 	EN 425	no damage with type W after 25000 cycles
Locking strength 	ISO 24334	$F_{0.2} \leq 1.0$ kN/m $F_{s0.2} \leq 2.0$ kN/m
Movement of a furniture leg 	EN 424	no damage with type 0
Resistance to staining 	EN 438	5 (group 1 and 2), 4 (group 3)
Surface soundness	EN 311	≥ 1.25 N/mm ²
Wear resistance (AC4) 	EN13329	IP ≥ 4000 cycles
Wear resistance (AC5) 	EN13329	IP ≥ 6000 cycles
Impact resistance (AC4) 	EN13329	small-diameter ball ≥ 12 N, large- diameter ball ≥ 750 mm
Impact resistance (AC5) 	EN13329	small-diameter ball ≥ 15 N, large- diameter ball ≥ 1000 mm
Thickness swelling (AC4) 	EN13329	$\geq 18\%$
Thickness swelling (AC5) 	EN13329	$\geq 15\%$

PRE-INSTALLATION PREPARATION



CLEANING & MAINTENANCE



Scan
QR Code to
View Installation
Video



Scan QR Code to View
Cleaning & Maintenance
Guide

www.royaletouche.com/woodenfloors
Mobile: +91 93 13 807 316
Toll Free : 1800 104 4357

**225+ STORES
PAN INDIA**



ROYALÉ TOUCHÉ

WOODEN FLOORS



ENQUIRE NOW!

www.royaletouche.com